



Product Guide for the
Music Industry



Company

KLINGSPOR is a manufacturer of sanding and grinding products for over 125 years. The US headquarters in North Carolina offers high quality products for industrial applications including more than 50,000 tools for all your cutting, grinding, polishing and stock removal jobs no matter which material you are working on.



The cover photo has been taken in cooperation with our customer Elliott Guitars

Service

You will realize superior value with our great product line, a team of technical specialists and our factory-trained sales representatives all over the US. Our knowledge of various industrial applications allows us to find the perfect product for your application.

KLINGSPOR is the leader in on-time error-free delivery, shipping 99% of its orders within 24 hours.

This helps you to control your inventory levels, reduce costs and ultimately gain peace of mind and faith in your abrasive supplier.

KLINGSPOR is member of



The Most Sanding Power For Your Money Since 1893!

KLINGSPOR is a manufacturer of sanding and grinding products for over 125 years. The US headquarters in North Carolina offers high quality products for industrial applications including more than 50,000 tools for all your cutting, grinding, polishing and stock removal jobs no matter which material you are working on.



Product Range

KLINGSPOR offers high quality solutions for all your abrasive needs including:



Removal of Material



Finishing Applications

Benefits

Great product range for different materials and applications

Different forms and shapes allow **flexible usage** on flat and contoured surfaces

Longevity

oSa certified products for your **safety**

Router Bits

KLINGSPOR is proud to offer a full range of industrial grade router bits. Everything from profile bits, CNC, spiral, fiberglass, plastic, solid surface and more. They consist of high quality super micro grain carbides that are extra thick for extra sharpening.



Do you already know our new sanding discs?

GREENTEC DISCS

Produced with our patented T-ACT technology

Durability, life and extended edge wear

More consistent, blemish-free finish



Three layers for highest performance:


- ▶ 3 Mil film or C-weight paper backing
- ▶ Premium Aluminum Oxide Grains
- ▶ Proprietary new T-ACT coating

KLINGSPOR's new GreenTec Sanding Disc offers a longer, more consistent cut and ultimately, a better finish. The applications are vast.

Produced utilizing our patented, proprietary T-ACT technology, you can be assured of longer life from reduced loading and heat while leaving a more consistent finish.

The material ensures heavy stock removal without loading in the coarser grits featuring a combination of C-weight paper backing and aluminum oxide grains. Use the disc in finer grits with a film backing for a consistent blemish-free finish.

Tested against our leading competitors, our GreenTec material showed significantly higher performance and provided a tighter, more consistent scratch.



Abrasive Belts

Coated Abrasive Belts provide the fastest and most effective stock removal for finishing or polishing metals and woods. KLINGSPOR has long been a leader in the production of tear-resistant abrasive belts. We offer a wide range of abrasive belts - from the smallest file belt for hand-operated machines to wide belts for large grinding machines.



Portable Belts

Portable belt sanding machines allow the user go directly to the workpiece. KLINGSPOR portable sander belts are well-suited for woodworking applications. We offer versions for general sanding or heavier stock removal.



Wide Belts

KLINGSPOR manufactures a broad selection of high quality materials for wide belts. Woodworking belts have many uses (primarily in lumber and finishing applications)



Edge Belts

From edge sanding to lever stroke sanding, KLINGSPOR offers an unsurpassed quality of coated abrasive belts for production applications.

Availability

Our product range permits use with common machines and allows for custom material for specific applications.

Just give us a call at 800-645-5555 for more information.



Rolls, Discs & Sheets

KLINGSPOR offers a high range of coated abrasives, including belts, discs, rolls and sheets. Your needs are met as we convert these from our high-quality jumbo rolls. Variety in Rolls, Discs & Sheets offers multiple application possibilities from material removal to finishes. Our coated abrasives are characterized by their tear-resistance and longevity.



Rolls

Widths: 1" - 4"
 Lengths: 10, 25, 50, 100 meters
 Backings: Plain, Kling-on® Hook & Loop, PSA



Discs

Diameters: 3" - 20"
 Backings: Plain, Kling-on® Hook & Loop, PSA
 Hole patterns:



We also offer triangles!

Sheets

Sizes: 9" x 11"
 4-1/2" x 11"
 3-2/3" x 9"
 4-1/2" x 5-1/2"
 Backings: Plain, PSA

Ask about custom sizes, such as 24" x 24" or 36" x 36"!



Materials with paper backing:

PS 11


60, 80, 100, 120, 150, 180, 220, 240, 280, 320, 360, 400, 500, 600, 800, 1000, 1200, 1500, 2000

Carbon
Black

- ✓ For hard and tough surface
- ✓ Good adaption and high stability
- ✓ Wet and dry sanding



PSA Rolls (25m)



PSA Disc Rolls (5", 6")
Hook & Loop, PSA Discs (3", 5", 6")
Sheets (5-1/2" x 9", 9" x 11")

PS 29


40, 60, 80, 100, 120, 150, 180, 220, 280, 320, 400

Titanium
Dioxide

- ✓ Impressively long life
- ✓ Reduced clogging
- ✓ Extremely stable backing for flat surfaces



PSA, Hook & Loop Rolls (10m)
Plain Rolls (100m)



Hook & Loop Discs (4-1/2", 5", 6")
PSA Discs (5", 6", 7", 8", 9")
Plain Discs (4", 5", 6", 7", 8", 9", 10", 12")

PS 33


80, 100, 120, 150, 180, 220, 240, 320, 400, 600, 800, 1000, 1200, 1500

Titanium
Dioxide

- ✓ High removal rate
- ✓ Ideal for sanding bare wood



PSA Disc Rolls (5", 6")
PSA Rolls (25m, 50m)



Hook & Loop, PSA Discs (3", 5", 6", 8")
Sheets (9" x 11")


PL 35 / PS 35

80, 100, 120, 150, 180, 220, 240, 280, 320, 400

- ✓ Suitable for sanding flat and contoured surfaces
- ✓ Primarily used for paint and varnish applications



PSA Disc Rolls (5", 6")




Hook & Loop, PSA Discs (5", 6")
Sheets (9" x 11", 4-1/2" x 11", 3-2/3" x 9", 4-1/2" x 5-1/2")

Materials with cloth backing:

KL 361


80, 100, 120, 150, 180, 220, 240, 280, 320, 400



- ✓ High quality product for a variety of applications
- ✓ High flexible cotton backing causes optimal adaption to the workpiece
- ✓ Tears off easily




Shop Rolls (50 yrd)



Sheets (9" x 11", 4-1/2" x 11", 3-2/3" x 9", 4-1/2" x 5-1/2")

CS 310


24, 36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240, 320, 400, 600



- ✓ Cotton backing provides stability for heavy duty use
- ✓ Longevity



Plain Rolls (100m)




Hook & Loop Discs (5", 6")

PSA Discs (3", 4", 5", 6", 8", 10", 12", 20")

Plain Discs (4", 5", 6", 7", 8", 9", 10", 12")

CS 311


36, 40, 50, 60, 80, 100, 120, 150, 180, 220, 240



- ✓ ACT and antistatic properties avoid clogging
- ✓ Good removal rate under high stress



Plain Rolls (100m)




PSA Discs (3", 4", 5", 6", 8", 10", 12", 20")

Plain Discs (4", 5", 6", 7", 8", 9", 10", 12")

VP 73 LATEX backing

80, 100, 120, 150, 180, 220, 240, 320, 400, 600, 800, 1000, 1200, 1500




- ✓ Long edge wear and life



PSA Disc Rolls (5", 6")

PSA Rolls (25m, 50m)



Hook & Loop Discs (3", 5", 6", 8")

PSA Discs (3", 5", 6")

Sheets (9" x 11")



Sponge Boxes

Sponge Box Square Pads are available in material types: PS 73 W or PL 35/PS 35.

Both are applied to a pliable, yet durable foam roll.

This foam roll has been perforated for a quick dispersion of 4-1/2" x 5-1/2" square pads (130/RL).

The item was developed to leave a soft scratch when profile sanding by hand.

Sponge box square pads are ideal for every finishing application.

PS 73 W

Grain: Aluminum Oxide Stearate
Grit range: 180, 220, 240, 320, 400, 600

- ✓ Foam backing distributes pressure evenly across the entire contact surface
- ✓ Minimal clogging
- ✓ Ideal for processing workpieces with a thin coating without sanding through



Titanium Dioxide

PL 35 / PS 35

Grain: Silicon Carbide
Grit range: 220, 320, 400

- ✓ Suitable for sanding flat or contoured surfaces
- ✓ Primarily used for sanding primer, paint and varnish



Ultraflex Handpads

Ultraflex Sanding Pads are the premium foam pads on the market.

They are extremely long lasting and should be used with light pressure.

The pads are perfectly suited for finish sanding of contoured parts and profiles because of their high flexibility.

Size: L5-1/2" x W4-1/2"



Availability

Grain: Silicon Carbide
Grit range: 120, 180, 220, 320

Grain: Aluminum Oxide
Grit range: 100, 120, 180, 220, 320

Flap Wheels


KLINGSPOR is the first abrasive company to design and manufacture flapwheels. Many varieties are available allowing versatility with countless finishing applications.



SM 611 Flapwheel

SM 611 quickly takes the contours of the workpiece being ground or polished, making it the ideal product for convex and concave surfaces and profiles.


Available diameters: 4", 5-1/2", 6-1/2", 8", 10", 12", 14", 16"



KM613 Spindle-Mounted Flapwheel

The small abrasive mop wheel consists of resin-bonded aluminum oxide abrasive cloth flaps attached to a spindle-mounted core. These flapwheels are used on portable or off-hand power tools to grind, polish, debur or finish small or hard-to-handle parts.


Available diameters: 1", 1-1/2", 2", 2-1/2", 3"



Mac Mop

Mac Mop is a special flapwheel in which thousands of very flexible aluminum oxide abrasive cloth strips are joined to a center core. It's designed for fine finishing and it quickly conforms to difficult contours.

Available diameter: 10" | Available widths: 2", 4"



Fusion Foam

Fusion Foam is uniquely engineered, eco-friendly, flexible and non-loading. The adhesive system locks our abrasive grain in place while providing exceptionally long life. The product resists loading due to proprietary grain to foam adhesion which reduces heat build-up.


Fusion Foam can be used wet or dry and was designed to obtain even, uniform surface on flat or contoured work-pieces.

Pads

Size: 3" x 4-1/4" x 1/2"
Grits: 80 - 700

Size: 3" x 4-1/4" x 5mm
Grits: 120 - 2500

Sold in boxes of 5 or 50 pads.



Discs

Sizes: 3", 5", 6"
Grits: 120 - 3500



Custom sizes available

Safety

Make sure you always wear safety products when using abrasives to create a healthy work environment. KLINGSPOR offers a complete line of high quality safety products.



KLINGSPOR is a founding member of the oSa® (Organization for the Safety of Abrasives).


Abrasive manufacturers in this voluntary association commit to adhering to all European safety standards applicable to abrasive tools and to promote and enforce stricter production and testing regulations. This includes operating a quality management system at each of its locations, possessing test records, submitting product samples for independent, destructive testing and regular factory inspections.

The oSa® label guarantees an extraordinary high level of safety.



WARNINGS

For more information go to www.P65Warnings.ca.gov



The following products mentioned in this catalog can expose you to Titanium Dioxide, which is known to the State of California to cause cancer. They all have a warning label on the packaging.



The following products mentioned in this catalog can expose you to chemicals like Carbon Black, which is known to the State of California to cause cancer. They all have a warning label on the packaging.



WARNING: This product can expose you to Titanium Dioxide, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

ADVERTENCIA: Este producto puede exponerle a Dióxido de titanio, que es conocido por el Estado de California como causante de cáncer. Para mayor información, visite www.P65Warnings.ca.gov.

- ▶PS 29
- ▶PS 33
- ▶CS 310
- ▶CS 311
- ▶VP 73
- ▶PS 73
- ▶SM 611
- ▶KM 613
- ▶Mac Mop
- ▶GreenTec



WARNING: This product can expose you to chemicals including Carbon Black, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov. **ADVERTENCIA:** Este producto puede exponerle a productos químicos, incluido el negro de humo, que el estado de California sabe que causa cáncer. Para obtener más información, vaya a www.P65Warnings.ca.gov.

- ▶PS 11
- ▶KL 361



KLINGSPOR

The Most Sanding Power for Your Money Since 1893!

2555 Tate Boulevard, S.E.,
PO Box 2367
Hickory, North Carolina 28603-2367
Toll Free 800-645-5555
Corporate 828-322-3030
Toll Free Fax 800-524-6758
Fax 828-326-0296
www.klingspor.com